



| High Pressure Cylinders for Industrial Applications & Fire Fighting |            |        |                      |     |                      |     |                |     |            |            |  |
|---|------------|--------|----------------------|-----|----------------------|-----|----------------|-----|------------|------------|--|
|   | Model      |        | DOT/TC               |     | UN/ISO               |     | Outer Diameter |     | Weight kgs | Weight lbs |  |
|   |            |        | Max Filling Pressure |     | Max Filling Pressure |     |                |     |            |            |  |
|   | Cubic Feet | Litres | PSIG                 | Bar | PSIG                 | Bar | Inches         | MM  |            |            |  |
| 1   | 0.3        | 8.2    | 2015                 | 139 | 2235                 | 154 | 7              | 178 | 24         | 11         |  |
| 2   | 0.4        | 10.82  | 2015                 | 139 | 2235                 | 154 | 7              | 178 | 31         | 14         |  |
| 3   | 0.6        | 15.74  | 2015                 | 139 | 2235                 | 154 | 7              | 178 | 39         | 18         |  |
| 4   | 0.8        | 21.6   | 2265                 | 156 | 2524                 | 174 | 7              | 178 | 55         | 25         |  |
| 5   | 1.0        | 27     | 2015                 | 139 | 2235                 | 154 | 7.4            | 188 | 55         | 25         |  |
| 6   | 1.5        | 43.3   | 2265                 | 156 | 2524                 | 174 | 9.1            | 232 | 108        | 49         |  |
| 7   | 1.7        | 49     | 2400                 | 166 | 2668                 | 184 | 9.1            | 232 | 119        | 54         |  |

Inquire for other sizes.  
 All above sizes are approximate.  
 Threaded ports as per customer requirements.

Email [sales@fibacanning.com](mailto:sales@fibacanning.com) or phone 905-982-0328 for more information and pricing